

Corrigenda and Addenda

Correction: Homes of Stroke Survivors Are a Challenging Environment for Rehabilitation Technologies

Stefan Rennick-Egglestone¹, PhD; Sue Mawson², PhD

¹School of Health Sciences, Institute of Mental Health, University of Nottingham, Nottingham, United Kingdom

²School of Health and Related Research, University of Sheffield, Sheffield, United Kingdom

Corresponding Author:

Stefan Rennick-Egglestone, PhD

School of Health Sciences

Institute of Mental Health

University of Nottingham

Triumph Road

Nottingham, NG7 2TU

United Kingdom

Phone: 44 115 82 ext 30926

Email: stefan.egglestone@nottingham.ac.uk

Related Article:

Correction of: <https://rehab.jmir.org/2021/2/e12029>

(*JMIR Rehabil Assist Technol* 2021;8(3):e32418) doi: [10.2196/32418](https://doi.org/10.2196/32418)

In “Homes of Stroke Survivors Are a Challenging Environment for Rehabilitation Technologies” (*JMIR Rehabil Assist Technol* 2021;8(2):e12029) the authors noted three errors.

The Acknowledgments section of the paper has been updated to effectively acknowledge the work of the broader Motivating Mobility team. In the originally published version, the Acknowledgements section read as follows:

This work was supported by the Engineering and Physical Sciences Research Council (grants EP/F00382X/1, EP/F03038X/1, and EP/M000877/1).

This has been updated to:

This work was supported by the Engineering and Physical Sciences Research Council (grants EP/F00382X/1, EP/F03038X/1, and EP/M000877/1). Our article reflects on the body of work produced by the Motivating Mobility team from 2007 to 2010. The authors would like to acknowledge the contribution of all team members to this body of work. Motivating Mobility was a collaboration between the University of Sussex (Lesley Axelrod, Madeline Balaam, Eric Harris, Geraldine Fitzpatrick), the University of Southampton (Ruth Turk, Ann-Marie Hughes, Jane Burridge), Sheffield Hallam University (Anna Wilkinson, Sue Mawson), the University of Oxford (Nour Shublaq, Penny Probert Smith), the University of Nottingham (Stefan Rennick-Egglestone, Tom Rodden), and the University of Dundee (Thomas Nind, Ian Ricketts).

The captions of 3 figures have been updated to clarify that the images were drawn from previous articles cited in the paper. The following text has been added to the original caption of Figures 1 and 2:

First published in the study by Axelrod et al [26].

The following text has been added to the original caption of Figure 4:

First published in the study by Balaam et al [30].

In the originally published paper, the following sentence was included in the “Challenge 1: Identifying a Location for a Rehabilitation Technology” section:

Early in Motivating Mobility, we conducted a photographic study of the homes of stroke survivors recruited by the project.

The text may have inadvertently created the impression that one author (SR-E) was involved in a Motivating Mobility study for which he was in fact not involved. For clarity, this sentence has been updated to:

Early in Motivating Mobility, a photographic study of the homes of stroke survivors was conducted [26].

The correction will appear in the online version of the paper on the JMIR Publications website on August 16, 2021, together with the publication of this correction notice. Because this was made after submission to PubMed, PubMed Central, and other full-text repositories, the corrected article has also been resubmitted to those repositories.

This is a non-peer-reviewed article. Submitted 27.07.21; accepted 28.07.21; published 16.08.21.

Please cite as:

Rennick-Egglestone S, Mawson S

Correction: Homes of Stroke Survivors Are a Challenging Environment for Rehabilitation Technologies

JMIR Rehabil Assist Technol 2021;8(3):e32418

URL: <https://rehab.jmir.org/2021/3/e32418>

doi: [10.2196/32418](https://doi.org/10.2196/32418)

PMID: [34398789](https://pubmed.ncbi.nlm.nih.gov/34398789/)

©Stefan Rennick-Egglestone, Sue Mawson. Originally published in JMIR Rehabilitation and Assistive Technology (<https://rehab.jmir.org>), 16.08.2021. This is an open-access article distributed under the terms of the Creative Commons Attribution License (<https://creativecommons.org/licenses/by/4.0/>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work, first published in JMIR Rehabilitation and Assistive Technology, is properly cited. The complete bibliographic information, a link to the original publication on <https://rehab.jmir.org/>, as well as this copyright and license information must be included.